



*Dehumidifying capacity at
-18°C with 90% RH
64 kg / 24 hour*


- Suitable for heavy industrial environments
- Specifically developed for efficient dehumidification of freezer rooms
- Low maintenance costs thanks to filters with up to 5 times higher dust holding capacity
- Suitable for use in the food and pharmaceutical industries, as well as storage applications
- Over 50% lower energy consumption compared to conventional systems
- Original Dutch manufacture, including optional warranty extension up to 5 years

Standard included:

- Bag filters suitable for heavy industrial environments
- High flexibility thanks to the integrated EC fan with 0–100% control
- Suitable for very low dew points (up to -60°C dp)
- Automatic restart function
- Operating hours counter

Optional:

- Filter alarm
- Stainless steel housing
- Online assistance




Dehumidifier model	Freeze
Nominal capacity ¹	64 kg / 24 h
Heater power	4.5 kW
Rated electrical power	8.55 kW
Maximum electrical power	10.6 kW
Supply voltage 3×400 V, 50 Hz	16 A
Weight	330 kg

¹ Based on inlet condition -18 °C / 90% RH.


Model	Freeze
A	1702
B	778
C	1478
D	Ø 400
E	Ø 400
F	Ø 160
G	Ø 160

All sizes are in millimeters.



The information and data contained in this document are subject to change without notice, therefore no rights can be derived from its contents.

Mollier diagram





AIR IN MOTION B.V.

Agrobaan 4
5813 EB Ysselsteyn
T +31(0)478 853 287
info@airinmotion.nl
www.airinmotion.world

AFIM® Dehumidifiers are sold, installed and maintained by:

